

Protection and Beauty



2007-2008 PPG COIL & EXTRUSION COATINGS

Excellence in Coating Metal For More Than a Century

Since its founding in 1883, PPG Industries has grown to become an \$11 billion dollar global corporation and a leading manufacturer of industrial, automotive, aerospace and packaging coatings as well as chemicals, glass and fiber glass. PPG is also a leading North American producer of architectural coatings. Today, the company has 125 manufacturing facilities and equity affiliates in more than 20 countries worldwide. PPG employs more than 32,000 people globally.

PPG's Coil and Extrusion Coatings business is a full-service organization offering coatings selection assistance, color matching, electronic color services, the industry's largest color databases, remote diagnostic capabilities and immediate access to product information via the World Wide Web (www.ppgideascales.com).

We offer coil and extrusion coatings in a wide range of applications: **DURANAR**®, **CORAFLO**N® and **ACRYNAR**® fluoropolymer coatings, **DURACRON**® acrylics, **POLYCRON**®, **DURASTAR**®, **TRUFORM**® and **MACROFLEX**™ polyesters, **TRUFORM** SP silicone polyester and **ENVIRON**® waterborne coatings. All are available with short lead times and greatly reduced batch-to-batch variability through PPG's computer-controlled Kaleidoscope™ workcell coatings manufacturing technology.

In addition, PPG is proud to offer a complete line of extrusion powder coatings, including products designed to meet AAMA 2603, AAMA 2604, and AAMA 2605 specifications. For more information, please contact 1-888-PPG-IDEA.

PPG coil and extrusion coatings are used everywhere:

- ▶ Rainware, gutters
- ▶ Siding, fascia, trim, soffit and downspouts
- ▶ Metal roofing
- ▶ Metal building panels, column covers, building sheet, canopies
- ▶ Garage and entry doors
- ▶ Pre-engineered metal buildings
- ▶ Lighting fixtures, ceiling grids
- ▶ Manufactured housing
- ▶ Truck trailers
- ▶ HVAC, vending machines
- ▶ Venetian blinds
- ▶ Pool surrounds
- ▶ Appliances
- ▶ Solariums, skylights, louvers
- ▶ Storefronts, curtainwalls
- ▶ Windows, railings and trim
- ▶ Recreational vehicles
- ▶ Auto trim parts
- ▶ Office furniture
- ▶ Signage

PPG Certified Applicator Program

Superior Quality Products, World Class Service and Technical Expertise

Are you facing a tight construction deadline or working on a project that demands the very best in high-performance coatings? If so, the PPG Certified Applicator Program can help.

PPG Certified Applicators are part of a select group of exceptional coating applicators fully capable of delivering high performance coated aluminum products by applying coatings such as **DURANAR**®, **CORAFLO**N® and **ACRYNAR**® fluoropolymers on time to meet demanding construction schedules. Their facilities and quality control processes are quality audited to help achieve color consistency and deliver the highest possible level of product quality, customer service and technical expertise.

In addition to enhanced coating consistency and quality, CAP members provide a heightened level of customer service, typified by the following benefits:

- ▶ Priority Service on Color Samples
- ▶ Preferred Access to PPG Coatings
- ▶ Major Project Assistance
- ▶ Regional Sourcing
- ▶ Accelerated Delivery Schedules
- ▶ Access to the World's Largest Color Database
- ▶ Seacoast Corrosion Warranty Available
- ▶ Field Repair Program



DURANAR® Fluoropolymer Coatings

Pages 4-5

- ▶ **DURANAR** Coil and Extrusion Coatings
- ▶ **DURANAR Sunstorm™** Coil and Extrusion Coatings
- ▶ **DURANAR XL** Coil and Extrusion Coatings
- ▶ **DURANAR Plus** Coil Coatings
- ▶ **DURANAR XL Plus** Coil Coatings
- ▶ **DURANAR SPF** Coil Coatings — **ENERGY STAR® Approved!**
- ▶ **DURANAR ADS** Field-Applied Coatings



CORAFLO® Fluoropolymer Coatings

Pages 6-7

- ▶ **CORAFLO** Coil and Extrusion Coatings
- ▶ **CORAFLO XL** Coil and Extrusion Coatings
- ▶ **NEW! CORAFLO** Extrusion Powder Coatings
- ▶ **CORAFLO ADS** Field-Applied Coatings



Additional Coil Coatings

Pages 8-9

- ▶ **DURACRON** Coil Coatings
- ▶ **NEW! DURASTAR** Coil Coatings
- ▶ **TRUFORM** Coil Coatings
- ▶ **TRUFORM ZT** Coil Coatings
- ▶ **NEW! TRUFORM HP** Coil Coatings
- ▶ **NEW! TRUFORM LF** Coil Coatings
- ▶ **TRUFORM SP** Coil Coatings
- ▶ **ENVIRON** Waterborne Coil Coatings
- ▶ **ENVIRON ST** Waterborne Coil Coatings



Additional Extrusion Coatings

Page 10

- ▶ **ACRYNAR** Extrusion Coatings
- ▶ **ENVIROCRO**N Extrusion Powder Coatings
- ▶ **DURACRON** Extrusion Coatings
- ▶ **POLYCRON** Extrusion Coatings
- ▶ **MACROFLEX** Extrusion Coatings



*PPG Fluoropolymer Coatings —
for the Toughest
Architectural Applications
in Coil and
Extrusion Coating*



*Duranar Coatings:
Phoenix Air Traffic Control Tower*



*Duranar Coatings:
Orange County Convention Center*

DURANAR high-performance coil and extrusion coatings have been protecting buildings around the world and making them beautiful for more than 40 years. They combine proprietary resin and pigment technologies, and have been proven in applications under the toughest environmental conditions. 70% of the resin system consists of fluoropolymer resins. **DURANAR** coil and extrusion coatings meet the industry's toughest performance specifications, including AAMA 2605. The coatings are chemically inert and provide resistance against color and gloss fade as well as environmental stress such as acid rain and UV exposure.

DURANAR Coil and Extrusion Coatings

DURANAR fluoropolymer coatings consist of a patented primer and a durable color coat. **DURANAR** coil coatings are used on aluminum and coated steel substrates such as G-90 galvanized, Galfan®, Galvalume®, and Zinalume®, while **DURANAR** extrusion coatings are formulated for use on aluminum surfaces when ultimate performance against weathering is required. **DURANAR** LG, a low luster, matte clear coat finish is also available for use on **DURANAR** coil and extrusion coatings where non-glare is required or desired.

The basic **DURANAR** 2-coat system is recommended for use in normal environments when added protection against industrial or seacoast environments (corrosive chemical, salt spray, etc.) is not required. This 2-coat system is very resistant to fading, chipping and peeling when properly applied by an approved applicator. **DURANAR** coil and extrusion coatings resist dirt collection and chemical staining, and can significantly reduce maintenance costs over time.

DURANAR Sunstorm™ Coil and Extrusion Coatings

DURANAR Sunstorm coatings are a 2-coat system consisting of a primer and a durable color coat containing mica pearlescent flakes. **DURANAR Sunstorm** coatings provide a metalescent look without the use of aluminum flakes, which require a clear topcoat. This 2-coat system combines value, durability and brilliant appearance. PPG currently offers a variety of colors ranging from white pearlescent to copper, silver and gold.

DURANAR XL Coil and Extrusion Coatings

DURANAR XL coil and extrusion coatings are 3- or 4-coat systems that not only offer excellent abrasion resistance, flexibility, chemical resistance and barrier corrosion resistance, but provide reliable architectural finishes in bright, exotic accent colors and true metallics. The clear topcoat protects the color coat from atmospheric pollutants and enhances its durability. The XL clear topcoat is required over some brightly pigmented **DURANAR** coatings and all colors containing metal flakes in order to protect against UV, humidity and chemical attack. For added protection, the XL clear topcoat may be specified over any **DURANAR** coating to improve the overall performance and ease of maintenance of the finish system. The barrier coat (4-coat system) provides excellent UV protection for the primer.

DURANAR Plus Coil Coatings

DURANAR Plus coil coatings are 2-coat, thick-film systems designed to provide outstanding aesthetics and durability in a wide range of architectural uses under aggressive environmental conditions. They are ideal for applications requiring greater flexibility as well as abrasion and corrosion resistance. Because the system requires only one pass through a tandem coil coating line, it provides an economical alternative for buildings facing more aggressive environments. **DURANAR** Plus coil coatings require minimal maintenance and minor scratches can be easily repaired in the field.

DURANAR XL Plus Coil Coatings

DURANAR XL Plus coil coatings are 3-coat systems based on a patented PPG urethane primer that imparts exceptional adhesion plus excellent abrasion resistance, maximum flexibility, chemical resistance and barrier corrosion protection. These enhancements make **DURANAR** XL Plus the best choice for applications that must endure highly aggressive industrial and seacoast environments.

DURANAR SPF Coil Coatings

DURANAR SPF IR reflective coatings are multi-coat systems designed to provide outstanding aesthetics, durability and long term IR reflectivity in a wide range of uses. They are designed to comply with the **ENERGY STAR**® solar reflectance limits established for steep-slope or low-slope roofing products. The cooling effects of **DURANAR** SPF coatings will offer potential benefits such as reduced air conditioning costs for commercial and residential construction, less product expansion and contraction, plus improved comfort levels for building occupants. These coatings offer architects and designers more color options for metal roofing since they are available in a palette of medium to dark colors, as well as light colors.

DURANAR ADS Field-Applied Coatings

DURANAR ADS coatings are designed for repairing, restoring and/or repainting metal buildings that have a factory applied **DURANAR** finish. These coatings can be used for spot repairs, or can be used to refinish an entire building. **DURANAR** ADS coatings are based on proven polyvinylidene fluoride (PVDF) resin technology and these coatings are formulated with highly durable pigments and offer superior color retention and chalk resistance. They are not National AIM rule compliant.



Duranar Coatings: CenturyTel Center



Duranar Coatings: Prescott Gateway Mall



Duranar Coatings: Dallas Executive Airport





Coraflo Coatings: 7-Eleven



*Coraflo Coatings: Honda Dealership
Photo compliments of Mitsubishi Chemical America, Inc.*

*Expand Your
Architectural
Options with
Color
and
Gloss*

CORAFLO second-generation fluoropolymer coatings from PPG meet the weatherability and chemical resistance standards established by PVDF (polyvinylidene fluoride) finishes more than 25 years ago. They deliver design and performance advantages including a rich palette of vibrant colors, a full gloss range from 20% to 80%, excellent adhesion and excellent field recoatability with the ambient cure characteristics of acrylics.

Unlike older-technology fluoropolymers, **CORAFLO** coatings are thermosetting and cure chemically into a clear, 100% inert fluoropolymer compound. They exhibit the high level of solvent solubility necessary to attain bright, vibrant colors and a wide range of gloss levels. **CORAFLO** coatings are available in a wide array of colors, plus metallics, blacks and whites. Comprised of 100% high-quality fluoropolymer resin, **CORAFLO** coatings offer exceptional color retention and hiding ability, plus a broad range of gloss levels, from high gloss to satin sheens.

CORAFLO coatings meet AAMA high-performance specifications.

CORAFLON Coil and Extrusion Coatings

CORAFLON coil and extrusion coatings are 2-coat systems that offer a brilliant, low-maintenance finish that is highly resistant to maring and abrasion, withstands airborne pollution without staining or discoloring and maintains its excellent appearance over time.

CORAFLON coil coatings' exceptional versatility makes them an excellent choice for applications such as gas station buildings, pylons, canopies, building panels, roofs, doors, decks, signs, billboards, poles, truck trailers, exterior light fixtures, fences and many others. **CORAFLON** extrusion coatings are an excellent choice for use in applications such as doors, windows, or sash extrusion, handrails, poles, exterior light fixtures, fences and many others.

CORAFLON XL Coil and Extrusion Coatings

CORAFLON XL coil and extrusion coatings are 3- or 4-coat systems that are available in bright, exotic accent colors and true metallics not possible with other formulations. The clear topcoat protects the color coat from atmospheric pollutants and enhances its durability.

CORAFLON XL clear extrusion coating is an essential component of the 3-coat system, which consists of a primer, a durable color coat and the XL clear topcoat. The XL clear topcoat is also required over some brightly pigmented **CORAFLON** coatings and all colors containing metal flakes in order to protect against UV, humidity and chemical attack. For added protection, the XL clear topcoat may be specified over any **CORAFLON** coating to improve the overall performance and ease of maintenance of the finish system. The barrier coat (4-coat system) provides excellent UV protection for the primer.

NEW! CORAFLON Extrusion Powder Coatings

PPG is proud to introduce **CORAFLON** extrusion powder coatings to the architectural coatings market. **CORAFLON** powder coatings are fluoropolymer coatings used for a multiple array of end uses such as extrusions, store fronts, fencing, doors, window frames, railings and light poles. The **CORAFLON** powder coatings technology offers unsurpassed color retention and chalk resistance. It can even be backed by PPG warranties. To learn more about **CORAFLON** and **ENVIROCRO**[®] powder coatings, please visit www.ppgideaspaces.com.

CORAFLON ADS Field-Applied Coatings

CORAFLON ADS coatings are a breakthrough field applied coating optimal for restoration of weathered architectural metals. **CORAFLON ADS** technology offers unsurpassed color retention and chalk resistance. Use **CORAFLON ADS** Coatings on building panels, architectural accents, curtain wall, roofs, aluminum windows, doors, handrails, stairs and other structurally sound surfaces. **CORAFLON ADS** features low VOC (volatile organic compounds) so it can be applied in most regions.



Corafon Coatings: Yahoo Headquarters



Corafon Coatings: Delphi Corporation



*Corafon ADS Coatings: Robert C. Zamora Middle School
Photo compliments of EMCO.*



Additional Coil Coatings



Truform Coatings: Raynor Garage Doors



*Truform ZT Coatings:
Columbus Childrens Hospital Research Institute Bldg. II*



Truform ZT Coatings: Raynor Garage Doors

DURACRON Coil Coatings

DURACRON coil coatings are acrylic-based 1-coat systems. Their technology, proven over the past 30 years, provides long-term durability plus exceptional smoothness, depth of image and a surface that can be easily cleaned. **DURACRON** coatings combine good hardness with excellent resistance to chemical attack, dirt and staining, and can be used on aluminum and steel substrates. Typical applications include truck trailer sheet, mobile home and RV stock, awnings, canopies and metal building products.

NEW! DURASTAR Coil Coatings

DURASTAR polyester coil coatings have been developed to meet the excellent exterior durability requirements of agricultural, industrial and pre-engineered buildings. They are designed for 1- or 2-coat application on aluminum substrates and 2-coat application on steel substrates. With improved flexibility over siliconized polyester, these coatings are perfect for roll-forming multiple building panel profiles. Other key attributes over siliconized polyester include equal or greater durability, eliminates need for warm forming, no silicone oven fouling, recoatability, improved scratch and mar resistance and no gloss restrictions.

TRUFORM Coil Coatings

TRUFORM polyester coil coatings combine economy, toughness, hardness, flexibility and exterior durability for a wide range of interior and exterior end uses. They are designed for 1- or 2-coat application on steel or aluminum substrates. **TRUFORM** coatings offer excellent surface hardness, flexibility and resistance to metal marking, marring and staining. They are available in a wide range of colors and glosses, and offer high line-speed capability while maintaining excellent flow and appearance. Special formulations include:

TRUFORM ZT Coil Coatings

TRUFORM ZT Coatings — specially formulated for use in applications that require exceptional flexibility to accommodate severe forming, bending and embossing operations. Their excellent resistance to abrasion, metal marking, staining, and press-mottling make them a good choice for a wide range of interior and exterior applications including window screen frames, window trim stock, louvers, muntin bars, T-bar stock, acoustical products, curtain rods, and air vents. They are also compatible with a wide variety of insulating foams and laminating adhesives used in the building products industry.

NEW! TRUFORM HP Coil Coatings

TRUFORM HP high performance polyester coil coatings have been developed to meet the durability requirements of the garage door, entry door and truck trailer markets. They are designed for 1- or 2-coat application on aluminum substrates and 2-coat application

on steel substrates. **TRUFORM** HP coatings have the added advantage of better recoatability compared to siliconized polyesters and can be applied at high line speeds for maximum production efficiency. Uses include garage doors, entry doors, truck trailers and other outdoor applications where durability is important, such as agricultural, light commercial and pre-engineered buildings.

NEW! TRUFORM LF Coil Coatings

TRUFORM LF Coatings — specifically formulated for use in applications that require ultra high reflectance properties. They are exceptionally clean, sharp white, cost effective products that offer excellent formability and stamping characteristics. These coatings can be run at high line speeds and achieve 87+ reflectance at 1 mil coverage making them an ideal choice for interior lighting fixture applications and ceiling grid systems.

TRUFORM SP Coil Coatings

TRUFORM SP silicone polyester coil coatings are formulated to provide the exterior durability necessary for agricultural, industrial and pre-engineered building applications. They offer an excellent balance of hardness and flexibility for bending and forming operations. These 2-coat systems may be applied to aluminum or steel substrates and provide excellent resistance to UV radiation, weather and humidity. **TRUFORM** SP coatings can be easily cleaned with mild solutions of conventional detergents, making them a good choice for buildings which must maintain excellent long-term aesthetics.

ENVIRON Waterborne Coil Coatings

ENVIRON coatings are waterborne coil coating systems designed for a wide range of building component applications. They are 2-coat, 1 mil total thickness coatings composed of a low bake waterborne primer and waterborne topcoats. **ENVIRON** coatings are designed for use on aluminum substrates. They offer significant advantages to end users and coil coaters due to their excellent adhesion and resistance to water staining and softening. Additionally, the proprietary chemistry used in **ENVIRON** coatings offer an environmentally friendly combination of highly durable resin and pigment technology in a waterborne coating.

ENVIRON ST Waterborne Coil Coatings

ENVIRON ST coatings are designed exclusively for use on steel substrates including hot dip galvanized, Galfan®, Galvalume® and Zinalume®. They offer significant advantages to end users and coil coaters due to their excellent adhesion and resistance to water staining and softening. Additionally, the proprietary chemistry used in **ENVIRON** ST coatings offer an environmentally friendly combination of highly durable resin and pigment technology in a waterborne coating.



Truform SP Coatings: Arkansas Public Safety



Environ Coatings: Photo compliments of Alcoa Building Products, Inc.



*Environ ST Coatings (Roofing), Truform ZT Coatings (Siding):
ASC Profiles, Inc.*



Additional Extrusion Coatings



Acrynar Coatings: Pullman Commons



Duracron Extrusion Coatings: Black Fence
Photo compliments of Delair Group, LLC.



Polycron Coatings: Residential Sunroom
Photo compliments of Patio Enclosures, Inc.

ACRYNAR Extrusion Coatings

ACRYNAR durable fluoropolymer spray coatings represent a new level of performance for architectural applications. This 2-coat system has proven, painter-friendly application properties, and their proprietary resin technology and formulation produce hard, smooth finishes. **ACRYNAR** coatings' combination of long term durability, exceptional mar resistance and excellent weatherability make them an ideal choice in high traffic areas such as store fronts, schools, hospitals and high-rise condominiums. (**ACRYNAR** coatings meet AAMA 2604 and are not a replacement for **DURANAR** fluoropolymer coatings, which meet the requirements of AAMA 2605 specifications.)

ENVIROCRON Extrusion Powder Coatings

ENVIROCRON extrusion powder coatings are engineered to provide excellent exterior color and gloss retention for architectural components, window & door frames, fencing, electrical transformers, and control cabinets. With essentially no VOC's, these coatings provide an environmentally friendly approach and provide excellent chemical, corrosion, and humidity resistance. **ENVIROCRON** Ultra Durable powder coatings meet AAMA 2604 specifications and are used in commercial applications. **ENVIROCRON** Durable powder coatings meet AAMA 2603 specifications and are used in residential applications.

DURACRON Extrusion Coatings

DURACRON coatings are acrylic-based 1-coat systems. **DURACRON** extrusion coatings were the first aluminum extrusion coatings offered by PPG and have more than 35 years of field-proven performance. They meet AAMA 2603 specifications and offer good film integrity, color control and mar resistance. They are recommended for residential or interior applications such as window and door frames, railings and trim. **DURACRON** extrusion coatings can be custom formulated to match most **DURANAR** and **ACRYNAR** FX colors. **DURACRON** coatings are not recommended for use on monumental buildings or high-rise curtainwalls.

POLYCRON Extrusion Coatings

POLYCRON polyester-based coatings are 1-coat systems which are recommended for residential or interior architectural applications such as window and door frames, railings and trim. Their high-solids polyester resin technology helps them meet increasingly restrictive environmental regulations, and they also meet AAMA 2603 performance specifications, offering good film integrity, color control and mar resistance. **POLYCRON** coatings can be applied over inhibitive primers to enhance corrosion resistance. They can also be formulated to match and complement most **DURANAR** and **ACRYNAR** coatings colors. **POLYCRON** coatings are not recommended for exterior use on monumental buildings or high-rise curtainwalls.

MACROFLEX Extrusion Coatings

MACROFLEX coatings are flexible polyester extrusion coatings formulated specially for the recreational vehicle market. They exhibit good mar and burnish resistance, and provide excellent flexibility.

Extrusion Coatings:

Duranar Coatings

AAMA 2605
2-coat (primer, color)
Monochromatic
Normal environments

Duranar Sunstorm Coatings

AAMA 2605
2-coat (primer, color)
Mica pearlescent flake pigments
Normal environments

Duranar XL Coatings

AAMA 2605
3-coat (primer, color, clear) or
4-coat (primer, barrier, color, clear)
Aluminum flake pigments,
some bright pigments
Aggressive environments

Coraflon Coatings

AAMA 2605
2-coat (primer, color)
Monochromatics, and
mica pearlescent flake pigments
Normal environments

Coraflon XL Coatings

AAMA 2605
3-coat (primer, color, clear)
Aluminum flake pigments
and bright pigments
Aggressive environments

Coraflon Powder Coatings

AAMA 2605
1-coat system
Monochromatic and
mica pearlescent flake pigments
Extreme hardness, UV and
weathering resistance
Normal and aggressive
environments

Acrynar Coatings

AAMA 2604
2-coat (primer, color)
Monochromatic and
mica pearlescent flake pigments
High traffic areas

Envirocron Ultra Durable Powder Coatings

AAMA 2604
1-coat system
Monochromatic and
mica pearlescent flake pigments
UV resistance and weathering
resistance
High traffic areas

Envirocron Durable Powder Coatings

AAMA 2603
1-coat system
Monochromatic and
mica pearlescent flake pigments
Hardness and chemical
resistance
Residential areas

Duracron and Polycron Coatings

AAMA 2603
1-coat (color)
Monochromatic and
aluminum flake or mica
pearlescent flake pigments
Interior/residential applications

Macroflex Coatings

1-coat (color)
Excellent flexibility
Mar and burnish resistance
RV, truck and bus applications

Coil Coatings:

Duranar Coatings

AAMA 620 (aluminum)
AAMA 621 (steel)
2-coat (primer, color)
Aluminum, coated steel
Standard pigmentation
Normal environments

Duranar Sunstorm Coatings

AAMA 620 (aluminum)
AAMA 621 (steel)
2-coat (primer, color)
Aluminum, coated steel
Mica pearlescent flake pigments
Normal environments

Duranar Plus Coatings

AAMA 620 (aluminum)
AAMA 621 (steel)
2-coat thick film (primer, color)
Aluminum, coated steel
Aggressive environments
Flexibility
Abrasion and corrosion resistance

Duranar XL Plus Coatings

AAMA 620 (aluminum)
AAMA 621 (steel)
3-coat (primer, color, clear)
Aluminum, coated steel
Severe environments
Patented urethane primer
Ultimate flexibility, corrosion,
abrasion and chemical resistance

Duranar XL Coatings

AAMA 620 (aluminum)
AAMA 621 (steel)
3-coat (primer, color, clear)
or
4-coat (primer, barrier,
color, clear)
Aluminum, coated steel
Normal and aggressive
environments
Bright, exotic, metallic colors

Duranar SPF Coatings

AAMA 620 (aluminum)
AAMA 621 (steel)
2-coat (primer, color) or
3-coat (primer, color, clear)
Aluminum, coated steel
Infrared reflecting ceramic
pigments
Normal environments

Coraflon Coatings

AAMA 620 (aluminum)
AAMA 621 (steel)
2-coat (primer, color)
Aluminum, coated steel
Normal environments

Coraflon XL Coatings

AAMA 620 (aluminum)
AAMA 621 (steel)
3-coat (primer, color, clear)
Aluminum, coated steel
Aggressive environments

Duracron Coatings

AAMA 2603 weathering
1-coat (color)
Aluminum, coated steel
Monochromatic and
aluminum flake or mica
pearlescent flake pigments
Hardness and stain resistance

Durastar Coatings

1-coat (color) or 2-coat
(primer, color)
Aluminum, coated steel
Exceptional durability
Excellent flexibility

Truform Coatings

1-coat (color) or 2-coat
(primer, color)
Aluminum, coated steel
Hardness, flexibility and
exterior durability

Truform ZT Coatings

1-coat (color) or 2-coat
(primer, color)
Aluminum, coated steel
Exceptional flexibility

Truform HP Coatings

1-coat (color) or 2-coat
(primer, color)
Aluminum, coated steel
Garage door, entry door,
truck trailer

Truform LF Coatings

1-coat (color) 85 reflectance
or lower
2-coat (applied split coat) above
85 reflectance
Coated steel
Interior applications, lighting
fixtures, ceiling grids

Truform SP Coatings

2-coat (primer, topcoat)
Aluminum, coated steel
Exceptional durability
Building products and roofing

Environ Coatings

2-coat (waterborne primer,
waterborne topcoat)
Aluminum
Monochromatic
Residential aluminum building
products

Environ ST Coatings

2-coat (solvent-borne primer,
waterborne topcoat)
Coated steel
Monochromatic
Roofing and building panels

Cover Photo Credits

Marina Condominiums

Madison, WI
Products: *Duranar* Bright Silver Metallic

Cover Inset Photo Credits (top to bottom)

1. Grand Rapids Press

Grand Rapids, Michigan
Product: *Duranar* Classic Green

2. Livermore City Hall

Livermore, California
Product: *Duranar* Copper Metallic

3. Atkinson Toyota

Bryan, TX
Product: *Coraflon* Toyota Silver and
Toyota Red

4. Radioshack Riverfront Campus

Fort Worth, Texas
Product: *Duracron* Silver Gray (interior)

Page 3 Photo Credits (top to bottom)

1. Las Olas Riverhouse

Fort Lauderdale, FL
Products: *Duranar* Colonial Blue

2. Atkinson Toyota

Bryan, TX
Product: *Coraflon* Toyota Silver and
Toyota Red

3. Arkansas Public Safety

Little Rock, Arkansas
Products: *Truform* SP Chromium Gray &
Slate Blue

4. Slippery Noodle Restaurant

Products: *Duracron/Polycron* III
Coatings Photo compliments of Patio
Enclosures, Inc.



Glass • Coatings • Paint

PPG IdeaScapes™

Colors. Coatings. Surfaces. Solutions.

PPG IdeaScapes is the one comprehensive resource architects can use to integrate color across interior and exterior building surfaces. Along with a brilliant array of architectural glass products, you'll find an almost unlimited palette of colors, glosses and sheens for high-performance coatings and paint.

Visit www.ppgideascales.com to access all the product descriptions and performance data you need, as well as sourcing information and other online tools and resources.

PPG IdeaScapes also is home to **Ecological Building Solutions**, a collection of select environmentally progressive products designed to meet specific green building criteria, such as LEED certification, or to help architects design more sustainable buildings, with innovative products such as...



PPG Glass, Coatings and Paint for Sustainable Design

- **Solarban®** Solar Control Low-E Glasses
- **Oceans of Color®** Spectrally Selective Tinted Glasses
- **DURANAR®** SPF ENERGY STAR-compliant high-performance coatings
- **CORAFLO®** ADS colorful, field-applied fluoropolymer coatings
- **CORAFLO®** and **ENVIROCRON®** Zero-VOC powder coatings
- **Pure Performance®** Zero-VOC paint from **Pittsburgh®** Paints
- **Megaseal®** Hygienic Industrial and Commercial Flooring Systems

To learn more call 1-888-PPG-IDEA (1-888-774-4332) or visit www.ppgideascales.com.

PPG IdeaScapes. Integrated products, people and services to inspire your design and color vision.



Division 5

05 05 13 Shop Applied Coatings for Metal

Division 7

07 81 00 Applied Fireproofing

Division 8

08 81 00 Glass Glazing

Division 9

09 67 00 Fluid-Applied Flooring

09 91 00 Painting

09 96 00 High-Performance Coatings



Green Building Alliance Gold Sponsor



PPG's Coatings and Resins Sales Offices

North America

World Headquarters
PPG Industries, Inc.
One PPG Place
Pittsburgh, PA 15272

Springdale
151 Colfax Street
Springdale, PA 15144
1-800-258-6398
Fax 724-274-2600

Delaware
760 Pittsburgh Drive
Delaware, OH 43015
740-363-9610
Fax 740-362-6802
(Coil Coatings Only)

Clarkson
PPG Canada, Inc.
880 Avonhead Road
Mississauga, ON L5J 2Z5
905-855-6086
Fax 905-823-7618

Mexico City

PPG Industrias de Mexico S.A.
de C.V.
Ave. Presidente Juarez No. 1978
Direccion Postal M9643
San Jeronimo Tepetlalcacalco
Tlalnepantla, Edo de Mexico
54090

52-5-397-8222
Fax 52-5-398-3090

Europe

England

PRC – DeSoto International
Darlington Road
Shildon, Co. Durham
DL4 2QP – England
44-0-1388-772-541
Fax 44-0-1388-774-373

France

PPG Industries (France) S.A.
Route D'Estreux
Boite Postale 6
59990 Saultain, France
33-3-27-14-9700
Fax 33-3-27-14-9708

Germany

PPG Industries Lackfabrik GmbH
Werner-Siemens-Str. 1
D-76356 Weingarten, Germany
49-7-244-64-0
Fax 49-7-244-64-182

Italy

PPG Industries Italia S.r.L.
Bellaria spa
Via Roma, 33
15023 Felizzano (AL), Italy
39-0131-774711
Fax 39-0131-772496

Spain

PPG Iberica, S.A.
P.O. Box 22
Carretera Garcia Manresa KM
19,2
Rubi (Barcelona), Spain 08191
34-3-588-2000
Fax 34-3-588-0123

Asia/Pacific

Australia/New Zealand

PPG Industries Australia Pty, Ltd.
Locked Bag 888
McNaughton Rd.
Clayton South
Victoria 3169, Australia
61-3-9263-6000
Fax 61-3-9263-5913

China

PPG Coatings (Hong Kong) Co.,
Ltd.
Suites 1010-1015
10/F City Plaza One
1111 Kings Rd.
Taikoo Shing, Hong Kong
852-2861-0918
Fax 852-2804-2859

China

PPG Coatings (Tianjin) Co., Ltd.
192 Huanghai Road, TEDA
Tianjin 300457, P.R. China
86-22-2532-3470
Fax 86-22-2532-5183

Japan

PPG Industries-Asia/Pacific, Ltd.
Takanawa Court, 5th Floor
13-1, Takanawa 3 Chome
Minato-ku, Tokyo 108, Japan
81-3-3280-2911
Fax 81-3-3280-2920

South Korea

Dongju Industrial Co., Ltd.
177-9 Cheong cheon-dong
Bupyeong-Gu, Incheon
Korea 403-030
82-32-510-6969
Fax 82-32-526-3632

Taiwan

PPG Industries International Inc.
Taiwan Branch
No. 236-2, Yungan Industrial
Zone
Hsinwu Hsiang
Taoyuan Hsien, Taiwan, R.O.C.
886-3-486-4835
Fax 886-3-486-3687



©2007 PPG Coil & Extrusion Coatings. Trademarks and service marks of PPG Industries used in this brochure are Acrynar, Coraflo, Duracron, Duranar, Durastar, Ecological Building Solutions, Envirocron, Environ, IdeaScapes, Kaleidoscope, Macroflex, Oceans of Color, Polycron, Solarban, Sunstorm, Truform, PPG, the PPG logo, Certified Applicator Program and the PPG Certified Applicator Program logo. Galfan is a registered trademark of ILZRO. Galvalume is a registered trademark of BIEC International, Inc. Zinalume is a registered trademark of BlueScope Steel Limited. Steelscape, Inc. holds exclusive rights to the Zinalume trademark within the U.S. MegaSeal, Pittsburgh and Pure Performance are registered trademarks of PPG Architectural Finishes, Inc.